





## Product Specifications

# Umea



Magnuson Group provides a unique blend of excellent product design, quality, value and customer service. We have built our name by designing, manufacturing and marketing the industry's finest products within our focused niche of support furniture and accessory products. We represent the contract furniture market's most complete line of high-design accessories and support furniture for commercial facilities.

# Umea Product Images



# Umea Product Specs




## Design Story

Designed by QDesign, UMEA is a new receptacle family unmatched in its versatility. Constructed of painted steel and suitable for both indoors and outdoors, UMEA models can be 1, 2 or 3-compartment wide - each with selectable top inserts and corresponding front graphics. Made in the USA.



### UMEA SAMPLE CONFIGURATIONS



### UMEA MULTI-LINGUAL PICTOGRAM LABELS



### UMEA OPTIONAL SIDE-PANEL CUTOUTS




### UMEA TOP-OPENING OPTIONS



## Customer Service

Magnuson Group is proud of its reputation of providing outstanding customer service. We listen to your questions, concerns and opinions respectfully and will always try to assist our customers efficiently and most importantly in a friendly manner.

# Umea Ordering Info



## HOW TO ORDER UMEA

When ordering Umea, a model and a selection must be made from each option below and noted on the order. Special notes are as follows:

- Umea is available with optional side panel cutouts for an upcharge. Select one only from options below - cutout will be on both side panels.
  1. Waste cutout
  2. Recycling Arrows cutout



**Order Examples:**

- Model # UMEA-10**  
 #1 Sky White Body  
 #2 Waste - Marine Blue  
 #3 Marine Blue - Side Panels  
 #4 Waste Graphic - Vivid Blue  
 #5 No Cutouts

- Model # UMEA-21**  
 #1 Britebond Silver Body  
 #2 Waste - Marine Blue  
 Recycling - Clementine Orange  
 #3 Sky White Side Panels & Flat Hood  
 #4 Waste Graphic - Vivid Blue  
 Recycling Graphic - Bright Orange  
 #5 Waste Cutout in Side Panels

## UMEA MODELS & SPECIFICATIONS

Model #	H x W x D	Shipping Weight	Product Description
UMEA-10	35 1/2" x 22" x 18 1/2"	72 lbs.	Single 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Single top opening.
UMEA-11	44 3/4" x 22" x 18 1/2"	96 lbs.	Single 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Single top opening with flat hood.
UMEA-12	46 3/4" x 22" x 18 1/2"	101 lbs.	Single 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Single top opening with angled hood.
UMEA-20	35 1/2" x 40" x 18 1/2"	140 lbs.	Double 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Two top openings.
UMEA-21	44 3/4" x 40" x 18 1/2"	164 lbs.	Double 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Two top openings with flat hood.
UMEA-22	46 3/4" x 40" x 18 1/2"	169 lbs.	Double 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Two top openings with angled hood.
UMEA-30	35 1/2" x 58" x 18 1/2"	203 lbs.	Triple 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Three top openings.
UMEA-31	44 3/4" x 58" x 18 1/2"	227 lbs.	Triple 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Three top openings with flat hood.
UMEA-32	46 3/4" x 58" x 18 1/2"	232 lbs.	Triple 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Three top openings with angled hood.

## UMEA PRODUCT OPTIONS

### Body Colors

- Sky White
- Brightbond Silver
- Mineral Bronze

### Icon Graphic Colors

- White Vinyl
- Dark Grey Vinyl
- Cactus Green Vinyl
- Vivid Blue Vinyl
- Sunflower Vinyl
- Bright Orange Vinyl
- Black Vinyl

### Side Panel/Hood Colors

- Sea Green
- Sky White
- Brightbond Silver
- Mineral Bronze
- Marigold Yellow
- Marine Blue
- Clementine Orange

### Top Opening Choices

- Waste Opening is 10 11/16" x 10 3/16"
- Paper Opening is 2" x 14"
- Circle Opening is 5" Diameter

### Multi-Lingual Pictogram Label Options





### Optional Side-Panel Cutouts or Advertising Panel



\*\* Physical finish chips are available, please contact Customer Service for details.

# Umea - Waste & Recycling Receptacles



### Locally Sourced

Magnuson Group recognizes the increase in demand for building materials and products that are extracted and manufactured within the region, thereby supporting the use of indigenous resources and reducing the environmental impacts resulting from transportation.

- 99% of Umea materials are sourced within 95 miles of MG HQ
- 1% of Umea materials are sourced outside 95 miles of MG HQ

### LEED v4

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).

## LEED V4 - ENVIRONMENTAL PROFILE & ATTRIBUTES

Program	Category & Item	Contribution
Interior Design + Construction	Materials + Resources	Storage & Collection of Recyclables
	Indoor Environmental Quality	Low-Emitting Materials
Building Design + Construction	Materials + Resources	Storage & Collection of Recyclables
	Indoor Environmental Quality	Low-Emitting Materials - Systems Furniture & Seating
Building Operations + Maintenance	Materials + Resources	Solid Waste Management - Ongoing Consumables

## MAGNUSON GROUP CERTIFICATIONS



### Indoor Advantage Gold Certification (SCS)

Indoor Advantage Gold certification is SCS Global Services' highest level of indoor air quality performance for furniture. The certification assures that furniture products support a healthy indoor environment by meeting strict chemical emission limits for volatile organic compounds (VOCs). To be certified, products must be tested by independent labs for compliance with the ANSI/BIFMA X7.1, and either ANSI/BIFMA e.3 or CDPH/EHLB Standard Method V1-1 for VOC emissions of concerns.



### US Green Building Council (USGBC)

Magnuson Group is a proud member of the US Green Building Council (USGBC), which supports the advancement of the latest in innovative building practices & minimalizing environmental impact for a more sustainable built environment.

## MAGNUSON GROUP GENERAL SUSTAINABILITY PRACTICES

Magnuson Group recognizes the importance of being good stewards to the earth. We incorporate positive environmental processes into all facets of the company. Whether the process is administrative in nature, or is in manufacturing, Magnuson Group strives to ensure that environmental concerns are made a part of the system. Some specifics include:



Steel



Wood



Plastics



Fabrics



Aluminum



Packaging



Paints



Import



Paper



Plating



# Umea-10



## MATERIAL DECLARATION

### Functional Unit

One single 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Single top opening.

### Model & Dimensions

SKU: UMEA-10  
 HxWxD: 35 1/2" x 22" x 18 1/2"  
 Shipping Weight: 72 lbs.

### Color & Finishes


Body Color(s): Sky White  
 Britebond Silver  
 Mineral Bronze

Side Panels Color(s): Sky White, Britebond Silver  
 Mineral Bronze, Sea Green  
 Marigold Yellow, Marine Blue  
 Clementine Orange

Top Insert Color(s): Sea Green, Marigold Yellow  
 Marine Blue, Mineral Bronze  
 Clementine Orange,  
 Sky White, Britebond Silver

### Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.



### Total Material Components


- Cold Rolled Steel 90.96%
- Low VOC Powder Paint 1.5%
- Packaging 0.5%
- LLDPE Plastic Liner 7%
- Fasteners/Glides 0.04%



Interior Design + Construction  
 Building Design + Construction  
 Building Operations + Maintenance


### LEED Product Information

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).




### Locally Sourced

99% sourced within 95 miles of MG  
 1% sourced outside 95 miles of MG



### Total Recycled Content

Recycled Content 34.5%  
 Non-Recycled Content 65.5%



### Post Life Recyclability

Recyclable 98%  
 Non Recyclable 2%

## RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	90.96%	30%	5%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	0.50%	35%	0%	100%	0%	0%	Yes
LLDPE Plastic Liner	7.00%	100%	10%	0%	0%	100%	Yes
Fasteners/Glides	0.04%	20%	20%	0%	0%	100%	No
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
<b>TOTAL = Σ(TW•COLUMN/100)</b>		<b>34.5%</b>	<b>5.3%</b>	<b>0.50%</b>	<b>0.00%</b>	<b>98%</b>	

### Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

# Umea-11



## MATERIAL DECLARATION

### Functional Unit

One single 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Single top opening with flat hood.

### Model & Dimensions

SKU: UMEA-11  
 HxWxD: 44 3/4" x 22" x 18 1/2"  
 Shipping Weight: 96 lbs.

### Color & Finishes


Body Color(s): Sky White  
 Britebond Silver  
 Mineral Bronze

Side Panels / Hood Color(s): Sky White, Britebond Silver  
 Mineral Bronze, Sea Green  
 Marigold Yellow, Marine Blue  
 Clementine Orange

Top Insert Color(s): Sea Green, Marigold Yellow  
 Marine Blue, Mineral Bronze  
 Clementine Orange,  
 Sky White, Britebond Silver

### Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.



### Total Material Components


- Cold Rolled Steel 91.95%
- Low VOC Powder Paint 1.5%
- Packaging 0.5%
- LLDPE Plastic Liner 6%
- Fasteners/Glides 0.05%



Interior Design + Construction  
 Building Design + Construction  
 Building Operations + Maintenance


### LEED Product Information

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).




### Locally Sourced

- 99% sourced within 95 miles of MG
- 1% sourced outside 95 miles of MG



### Total Recycled Content

- Recycled Content 33.8%
- Non-Recycled Content 66.2%



### Post Life Recyclability

- Recyclable 98%
- Non Recyclable 2%

## RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	91.95%	30%	5%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	0.50%	35%	0%	100%	0%	0%	Yes
LLDPE Plastic Liner	6.00%	100%	10%	0%	0%	100%	Yes
Fasteners/Glides	0.05%	20%	20%	0%	0%	100%	No
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
<b>TOTAL = Σ(TW•COLUMN/100)</b>		<b>33.8%</b>	<b>5.2%</b>	<b>0.50%</b>	<b>0.00%</b>	<b>98%</b>	

### Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

# Umea-12



## MATERIAL DECLARATION

### Functional Unit

One single 40 gallon compartment waste receptacle with internal rigid liner and locking front opening. Single top opening with angled hood.

### Model & Dimensions

SKU: UMEA-12  
 HxWxD: 46 3/4" x 22" x 18 1/2"  
 Shipping Weight: 101 lbs.

### Color & Finishes


Body Color(s): Sky White  
 Britebond Silver  
 Mineral Bronze

Side Panels / Hood Color(s): Sky White, Britebond Silver  
 Mineral Bronze, Sea Green  
 Marigold Yellow, Marine Blue  
 Clementine Orange

Top Insert Color(s): Sea Green, Marigold Yellow  
 Marine Blue, Mineral Bronze  
 Clementine Orange,  
 Sky White, Britebond Silver

### Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.



### Total Material Components


- Cold Rolled Steel 91.95%
- Low VOC Powder Paint 1.5%
- Packaging 0.5%
- LLDPE Plastic Liner 6%
- Fasteners/Glides 0.05%



Interior Design + Construction  
 Building Design + Construction  
 Building Operations + Maintenance


### LEED Product Information

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).




Locally Sourced

99% sourced within 95 miles of MG  
 1% sourced outside 95 miles of MG



Total Recycled Content

Recycled Content 33.8%  
 Non-Recycled Content 66.2%



Post Life Recyclability

Recyclable 98%  
 Non Recyclable 2%

## RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	91.95%	30%	5%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	0.50%	35%	0%	100%	0%	0%	Yes
LLDPE Plastic Liner	6.00%	100%	10%	0%	0%	100%	Yes
Fasteners/Glides	0.05%	20%	20%	0%	0%	100%	No
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
<b>TOTAL = Σ(TW•COLUMN/100)</b>		<b>33.8%</b>	<b>5.2%</b>	<b>0.50%</b>	<b>0.00%</b>	<b>98%</b>	

### Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.



# Umea-20



## MATERIAL DECLARATION

### Functional Unit

One double 40 gallon compartment waste receptacle with internal rigid liners and locking front openings. Two top openings.

### Model & Dimensions

SKU: UMEA-20  
 HxWxD: 35 1/2" x 40" x 18 1/2"  
 Shipping Weight: 140 lbs.

### Color & Finishes


Body Color(s): Sky White  
 Britebond Silver  
 Mineral Bronze

Side Panels Color(s): Sky White, Britebond Silver  
 Mineral Bronze, Sea Green  
 Marigold Yellow, Marine Blue  
 Clementine Orange

Top Insert Color(s): Sea Green, Marigold Yellow  
 Marine Blue, Mineral Bronze  
 Clementine Orange,  
 Sky White, Britebond Silver

### Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.



### Total Material Components


- Cold Rolled Steel 88.96%
- Low VOC Powder Paint 1.5%
- Packaging 0.5%
- LLDPE Plastic Liner 9%
- Fasteners/Glides 0.04%



Interior Design + Construction  
 Building Design + Construction  
 Building Operations + Maintenance


### LEED Product Information

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).




Locally Sourced

99% sourced within 95 miles of MG  
 1% sourced outside 95 miles of MG



Total Recycled Content

Recycled Content 35.9%  
 Non-Recycled Content 64.1%



Post Life Recyclability

Recyclable 98%  
 Non Recyclable 2%

## RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	88.96%	30%	5%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	0.50%	35%	0%	100%	0%	0%	Yes
LLDPE Plastic Liner	9.00%	100%	10%	0%	0%	100%	Yes
Fasteners/Glides	0.04%	20%	20%	0%	0%	100%	No
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
<b>TOTAL = Σ(TW•COLUMN/100)</b>		<b>35.9%</b>	<b>5.4%</b>	<b>0.50%</b>	<b>0.00%</b>	<b>98%</b>	

### Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

# Umea-21



## MATERIAL DECLARATION

### Functional Unit

One double 40 gallon compartment waste receptacle with internal rigid liners and locking front openings. Two top openings with flat hood.

### Model & Dimensions

SKU: UMEA-21  
 HxWxD: 44 3/4" x 40" x 18 1/2"  
 Shipping Weight: 164 lbs.

### Color & Finishes


Body Color(s): Sky White  
 Britebond Silver  
 Mineral Bronze

Side Panels / Hood Color(s): Sky White, Britebond Silver  
 Mineral Bronze, Sea Green  
 Marigold Yellow, Marine Blue  
 Clementine Orange

Top Insert Color(s): Sea Green, Marigold Yellow  
 Marine Blue, Mineral Bronze  
 Clementine Orange,  
 Sky White, Britebond Silver

### Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.



### Total Material Components


- Cold Rolled Steel 90.96%
- Low VOC Powder Paint 1.5%
- Packaging 0.5%
- LLDPE Plastic Liner 7%
- Fasteners/Glides 0.04%



Interior Design + Construction  
 Building Design + Construction  
 Building Operations + Maintenance


### LEED Product Information

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).




### Locally Sourced

99% sourced within 95 miles of MG  
 1% sourced outside 95 miles of MG



### Total Recycled Content

Recycled Content 34.5%  
 Non-Recycled Content 65.5%



### Post Life Recyclability

Recyclable 98%  
 Non Recyclable 2%

## RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	90.96%	30%	5%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	0.50%	35%	0%	100%	0%	0%	Yes
LLDPE Plastic Liner	7.00%	100%	10%	0%	0%	100%	Yes
Fasteners/Glides	0.04%	20%	20%	0%	0%	100%	No
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
<b>TOTAL = Σ(TW•COLUMN/100)</b>		<b>34.5%</b>	<b>5.3%</b>	<b>0.50%</b>	<b>0.00%</b>	<b>98%</b>	

### Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

# Umea-22



## MATERIAL DECLARATION

### Functional Unit

One double 40 gallon compartment waste receptacle with internal rigid liners and locking front openings. Two top openings with angled hood.

### Model & Dimensions

SKU: UMEA-22  
 HxWxD: 46 3/4" x 40" x 18 1/2"  
 Shipping Weight: 169 lbs.

### Color & Finishes


Body Color(s): Sky White  
 Britebond Silver  
 Mineral Bronze

Side Panels / Hood Color(s): Sky White, Britebond Silver  
 Mineral Bronze, Sea Green  
 Marigold Yellow, Marine Blue  
 Clementine Orange

Top Insert Color(s): Sea Green, Marigold Yellow  
 Marine Blue, Mineral Bronze  
 Clementine Orange,  
 Sky White, Britebond Silver

### Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.



### Total Material Components


- Cold Rolled Steel 90.96%
- Low VOC Powder Paint 1.5%
- Packaging 0.5%
- LLDPE Plastic Liner 7%
- Fasteners/Glides 0.04%



Interior Design + Construction  
 Building Design + Construction  
 Building Operations + Maintenance


### LEED Product Information

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).




Locally Sourced

99% sourced within 95 miles of MG  
 1% sourced outside 95 miles of MG



Total Recycled Content

Recycled Content 34.5%  
 Non-Recycled Content 65.5%



Post Life Recyclability

Recyclable 98%  
 Non Recyclable 2%

## RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	90.96%	30%	5%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	0.50%	35%	0%	100%	0%	0%	Yes
LLDPE Plastic Liner	7.00%	100%	10%	0%	0%	100%	Yes
Fasteners/Glides	0.04%	20%	20%	0%	0%	100%	No
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
<b>TOTAL = Σ(TW•COLUMN/100)</b>		<b>34.5%</b>	<b>5.3%</b>	<b>0.50%</b>	<b>0.00%</b>	<b>98%</b>	

### Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

# Umea-30



## MATERIAL DECLARATION

### Functional Unit

One triple 40 gallon compartment waste receptacle with internal rigid liners and locking front openings. Three top openings.

### Model & Dimensions

SKU: UMEA-30  
 HxWxD: 35 1/2" x 58" x 18 1/2"  
 Shipping Weight: 203 lbs.

### Color & Finishes


Body Color(s): Sky White  
 Britebond Silver  
 Mineral Bronze

Side Panels Color(s): Sky White, Britebond Silver  
 Mineral Bronze, Sea Green  
 Marigold Yellow, Marine Blue  
 Clementine Orange

Top Insert Color(s): Sea Green, Marigold Yellow  
 Marine Blue, Mineral Bronze  
 Clementine Orange,  
 Sky White, Britebond Silver

### Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.



### Total Material Components


- Cold Rolled Steel 87.96%
- Low VOC Powder Paint 1.5%
- Packaging 0.5%
- LLDPE Plastic Liner 10%
- Fasteners/Glides 0.04%



Interior Design + Construction  
 Building Design + Construction  
 Building Operations + Maintenance


### LEED Product Information

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).




Locally Sourced

99% sourced within 95 miles of MG  
 1% sourced outside 95 miles of MG



Total Recycled Content

Recycled Content 36.6%  
 Non-Recycled Content 63.4%



Post Life Recyclability

Recyclable 98%  
 Non Recyclable 2%


## RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	87.96%	30%	5%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	0.50%	35%	0%	100%	0%	0%	Yes
LLDPE Plastic Liner	10.00%	100%	10%	0%	0%	100%	Yes
Fasteners/Glides	0.04%	20%	20%	0%	0%	100%	No
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
<b>TOTAL = Σ(TW•COLUMN/100)</b>		<b>36.6%</b>	<b>5.4%</b>	<b>0.50%</b>	<b>0.00%</b>	<b>98%</b>	

### Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

# Umea-31



## MATERIAL DECLARATION

### Functional Unit

One triple 40 gallon compartment waste receptacle with internal rigid liners and locking front openings. Three top openings with flat hood.

### Model & Dimensions

SKU: UMEA-31  
 HxWxD: 44 3/4" x 58" x 18 1/2"  
 Shipping Weight: 227 lbs.

### Color & Finishes


Body Color(s): Sky White, Britebond Silver, Mineral Bronze

Side Panels / Hood Color(s): Sky White, Britebond Silver, Mineral Bronze, Sea Green, Marigold Yellow, Marine Blue, Clementine Orange

Top Insert Color(s): Sea Green, Marigold Yellow, Marine Blue, Mineral Bronze, Clementine Orange, Sky White, Britebond Silver

### Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.



### Total Material Components


- Cold Rolled Steel 89.96%
- Low VOC Powder Paint 1.5%
- Packaging 0.5%
- LLDPE Plastic Liner 8%
- Fasteners/Glides 0.04%



Interior Design + Construction  
 Building Design + Construction  
 Building Operations + Maintenance


### LEED Product Information

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).




Locally Sourced

99% sourced within 95 miles of MG  
 1% sourced outside 95 miles of MG



Total Recycled Content

Recycled Content 35.2%  
 Non-Recycled Content 64.8%



Post Life Recyclability

Recyclable 98%  
 Non Recyclable 2%

## RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	89.96%	30%	5%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	0.50%	35%	0%	100%	0%	0%	Yes
LLDPE Plastic Liner	8.00%	100%	10%	0%	0%	100%	Yes
Fasteners/Glides	0.04%	20%	20%	0%	0%	100%	No
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
<b>TOTAL = Σ(TW•COLUMN/100)</b>		<b>34.2%</b>	<b>5.3%</b>	<b>0.50%</b>	<b>0.00%</b>	<b>98%</b>	

### Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.

# Umea-32



## MATERIAL DECLARATION

### Functional Unit

One triple 40 gallon compartment waste receptacle with internal rigid liners and locking front openings. Three top openings with angled hood.

### Model & Dimensions

SKU: UMEA-32  
 HxWxD: 46 3/4" x 58" x 18 1/2"  
 Shipping Weight: 232 lbs.

### Color & Finishes


Body Color(s): Sky White  
 Britebond Silver  
 Mineral Bronze

Side Panels / Hood Color(s): Sky White, Britebond Silver  
 Mineral Bronze, Sea Green  
 Marigold Yellow, Marine Blue  
 Clementine Orange

Top Insert Color(s): Sea Green, Marigold Yellow  
 Marine Blue, Mineral Bronze  
 Clementine Orange,  
 Sky White, Britebond Silver

### Content Declaration

The charts to the right detail the materials in the product, local source and pre/post recyclability information.



### Total Material Components


- Cold Rolled Steel 89.96%
- Low VOC Powder Paint 1.5%
- Packaging 0.5%
- LLDPE Plastic Liner 8%
- Fasteners/Glides 0.04%



Interior Design + Construction  
 Building Design + Construction  
 Building Operations + Maintenance


### LEED Product Information

Umea contributes to various LEED prerequisites & credits. Specific products cannot be LEED-certified, but they can support LEED criteria. For general questions about LEED, please [contact USGBC](#).




### Locally Sourced

99% sourced within 95 miles of MG  
 1% sourced outside 95 miles of MG



### Total Recycled Content

Recycled Content 35.2%  
 Non-Recycled Content 64.8%



### Post Life Recyclability

Recyclable 98%  
 Non Recyclable 2%

## RECYCLED CONTENT SUMMARY

	% Total Weight (TW)	% Recycled Content	% Pre Consumer	% Post Consumer	% Renewable Content	% Post Life Recyclability	Locally Sourced
Cold Rolled Steel	89.96%	30%	5%	0%	0%	100%	Yes
Low VOC Powder Paint	1.50%	0%	0%	0%	0%	0%	Yes
Packaging	0.50%	35%	0%	100%	0%	0%	Yes
LLDPE Plastic Liner	8.00%	100%	10%	0%	0%	100%	Yes
Fasteners/Glides	0.04%	20%	20%	0%	0%	100%	No
Vinyl Label	n/a	0%	0%	0%	0%	0%	Yes
<b>TOTAL = Σ(TW•COLUMN/100)</b>		<b>35.2%</b>	<b>5.3%</b>	<b>0.50%</b>	<b>0.00%</b>	<b>98%</b>	

### Disclaimer

Numbers may vary based on model and options selected. Calculations of recycled content are based on data provided by suppliers and other available information. This data may include industry averages, ranges or other broadly based information. Magnuson Group makes conservative assumptions when compiling this information to provide the most accurate recycled content calculations possible but variability in market conditions or manufacturing processes may result in higher or lower content.



# Umea Environmental Information

## MANUFACTURING PRACTICES

### Manufacturing Process

The manufacturing process with Umea starts with partially recycled steel. The cold rolled carbon steel is formed and given a paint color with a low emitting powder coating.

All steel is sourced locally, within 95 miles of Magnuson Group’s headquarters in Woodridge, IL, where final assembly occurs. Magnuson Group’s vendors are carefully selected based on craftsmanship, location and environmental practices among other considerations.

## MAINTENANCE & USE & DISPOSAL

### Cleaning

Umea can be cleaned using a damp cloth and mild non-abrasive cleaner.

### Ergonomic











Product is designed for ergonomic use, which will continue to service life.

### Recycling

At the end of it’s life cycle, Umea can be disassembled and recycled. The body is made primarily of steel, one of the most recycled materials on the planet, and the internal rigid liner is made of plastic, which is also easily recyclable. Receptacle is designed to maximize recycling rates through design, graphics, and signage placement.

## MAGNUSON GROUP GENERAL SUSTAINABILITY PRACTICES

Magnuson Group recognizes the importance of being good stewards to the earth. We incorporate positive environmental processes into all facets of the company. Whether the process is administrative in nature, or is in manufacturing, Magnuson Group strives to ensure that environmental concerns are made a part of the system. Some specifics include:

	Type	Description
	Steel	All steel scrap is 100% recycled. Steel is manufactured with 30-40% post consumer material and is 100% recyclable.
	Wood	Magnuson Group strives to always source wood from F.S.C. sources.
	Plastics	Plastics are 100% recyclable.
	Fabrics	Fabrics are manufactured from 100% post consumer materials, and is fire rated to: ASTM E-84 Class 1 or A.
	Aluminum	All aluminum scrap is 100% recycled. Aluminum comes from 10-20% post consumer material and is 100% recyclable.
	Packaging	Packaging comes from a minimum of 35% post consumer material and is 100% recyclable.
	Paints	All paints used are certified to be of low VOC content < 50g per liter. They emit no hazardous air pollutants (HAP) or noxious fumes when exposed to fire NFPA 704 Health = 1, Fire = 1, Reactivity = 0.
	Import	We import products from various countries in Europe. Most but not all are certified ISO 9001-14001 Environmental Management Systems. Please contact us if you need further information.
	Paper	All paper and packaging waste is 100% recycled.
	Plating	Plating is kept to the absolute minimum. Our plater’s meet or exceed all Illinois EPA, Federal EPA, and OSHA mandated standards; all plating is RoHS compliant. Our plating emits no hazardous air pollutants (HAP) or noxious fumes when exposed to fire. We certify that there is no asbestos in any of the products we manufacture or import for sale.